

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
30 October 2003 (30.10.2003)

PCT

(10) International Publication Number  
**WO 03/088944 A1**

- (51) International Patent Classification<sup>7</sup>: **A61K 9/00**
- (21) International Application Number: **PCT/GB03/01595**
- (22) International Filing Date: **10 April 2003 (10.04.2003)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**0208609.8** **13 April 2002 (13.04.2002)** **GB**
- (71) Applicant (*for all designated States except US*): **GLAXO GROUP LIMITED [GB/GB]**; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 0NN (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **ROCHE, Trevor, Charles [GB/GB]**; GlaxoSmithKlin, Park Road, Ware, Hertfordshire SG12 0DP (GB). **BULSARA, Pallav, Arvind [GB/GB]**; GlaxoSmithKline, Park Road, Ware, Hertfordshire SG12 0DP (GB).
- (74) Agent: **GIDDINGS, Peter, John**; GlaxoSmithKline, Corporate Intellectual Property CN925.1, 980 Great West Road, Brentford, Middlesex TW8 9GS (GB).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— *with international search report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



**WO 03/088944 A1**

(54) Title: **DRY POWDER INHALANT COMPOSITION**

(57) Abstract: Dry powder pharmaceutical compositions having improved stability comprising a bronchodilator drug in combination with a steroidal anti-inflammatory drug, dry powder inhalers comprising the same and their use in the treatment of respiratory disorders by inhalation.

## DRY POWER INHALANT COMPOSITION

This invention relates to dry powder pharmaceutical compositions, and their use in the treatment of respiratory disorders by inhalation. The invention also relates to dry powder inhalers comprising the same. More particularly, this invention relates to a dry powder pharmaceutical composition with improved stability comprising a bronchodilator drug in combination with a steroidal anti-inflammatory drug.

10 Dry powder inhalers (DPI's) are well known devices for administering pharmaceutically active agents to the respiratory tract. Consequently, they are particularly suitable when used for the administration of active agents in the treatment of diseases such as asthma, bronchitis, chronic obstructive pulmonary disease (COPD), emphysema, rhinitis etc. Since the drug acts directly on the target organ much smaller quantities of the active ingredient may be used, thereby minimising any potential side effects.

Dry powder compositions for use as inhalable medicaments in DPI's typically comprise a pharmaceutically active agent intimately admixed with an excess of pharmaceutically acceptable excipient or excipients (often called carrier(s)). Such excipients serve not only to dilute the quantity of active agent administered in each dose but also to establish acceptable manufacture of the powder mixture and aid in the aerosolisation of the drug. Such a high proportion of excipient will essentially determine the properties of the powder formulation, particularly the manufacturing characteristics.

European patent EP 0416951B1 (Glaxo Group Limited) describes the use of a bronchodilator drug, salmeterol or a pharmaceutically acceptable salt thereof, in combination with a steroidal anti-inflammatory drug, fluticasone propionate, for the treatment of respiratory disorders such as asthma. Several dry powder compositions containing such active agents are described therein.

A problem associated with the use of dry powder pharmaceutical compositions of this type is that they can be susceptible to poor stability performance due to moisture ingress. For example, significant deterioration in the fine particle dose

(FPD), namely that which has the potential to penetrate into the lower airways of the lung, is often observed upon protracted exposure of such compositions to conditions of elevated temperature and humidity.

- 5 Patent application WO 00/28979 (SkyePharma) describes one approach to overcome the above noted problems. It is claimed that dry powder formulations comprising a pharmaceutically active agent, an inhaled vehicle of non-inhalable particle size and magnesium stearate have improved storage stability under extreme (temperature and humidity) conditions.

10

We have now discovered novel dry powder pharmaceutical compositions containing a combination of therapeutically active molecules as described in EP 0416951B1 and certain carbohydrate derivatives. Such compositions demonstrate surprisingly enhanced stability performance, particularly in respect  
15 of eliminating or reducing the detrimental effect on fine particle dose caused on storage of said compositions.

The present invention therefore provides, in a first aspect, a dry powder pharmaceutical composition for inhalation therapy comprising salmeterol or a  
20 pharmaceutically acceptable salt thereof and fluticasone propionate, an excipient and a derivatised carbohydrate in particulate form.

The derivitised carbohydrate can be in amorphous or crystalline particulate form. Preferably the derivitised carbohydrate is in crystalline form.

25

It is to be understood that the dry powder pharmaceutical compositions according to this invention include not only those in which the components are incorporated as individual particles but also those including matrix particles of more than one component. For example, matrix particles including one or both of the active  
30 agents and a derivatised carbohydrate or matrix particles of excipient and a derivitised carbohydrate may be utilised. Such matrix particles can be prepared by solid dispersion technology e.g. co-precipitation and particle coating methods which are familiar to those skilled in the art. Suitably, the components are incorporated as individual particles.

35

The term "derivatised carbohydrate" is used herein to describe a class of molecules in which at least one hydroxyl group of the carbohydrate group is substituted with a hydrophobic moiety via either ester or ethers linkages. All isomers (both pure and mixtures thereof) are included within the scope of this term. Mixtures of chemically distinct derivatised carbohydrates may also be utilised.

Suitably, the hydroxyl groups of the carbohydrate may be substituted by a straight or branched hydrocarbon chain comprising up to 20 carbon atoms, more typically up to 6 carbon atoms. The derivatised carbohydrates can be formed by derivitisation of monosaccharides (e.g. mannitol, fructose and glucose) or of disaccharides (e.g. maltose, trehalose, cellobiose, lactose and sucrose). Derivatised carbohydrates are either commercially available or can be prepared according to procedures readily apparent to those skilled in the art.

Non limiting examples of derivatised carbohydrates include cellobiose octaacetate, sucrose octaacetate, lactose octaacetate, glucose pentaacetate, mannitol hexaacetate and trehalose octaacetate. Further suitable examples include those specifically disclosed in patent application WO 99/33853 (Quadrant Holdings), particularly trehalose diisobutyrate hexaacetate. A particularly preferred derivatised carbohydrate is cellobiose octaacetate, most preferably  $\alpha$ -D cellobiose octaacetate.

Typically, the aerodynamic size of the derivatised carbohydrates will be between 0.1 and 50 $\mu$ m, and more particularly 1 - 20 $\mu$ m. The derivatised carbohydrates for use in the preparation of compositions in accordance with this invention are typically micronised but controlled precipitation, supercritical fluid methodology and spray drying techniques familiar to those skilled in the art may also be utilised.

Suitably the derivatised carbohydrate is present in a concentration of 0.01 - 50% by weight of the total composition, preferably 1 - 20%.

Salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate (the "active agents") are typically in a form that is suitable to be

administered by inhalation. In the field of inhalation therapy, the term "suitable to be administered by inhalation" is generally taken to mean therapeutic molecules having an aerodynamic diameter between 0.1 and 10µm, and more particularly 1 - 5µm. Particles of the desired particle size for inhalation are conventionally prepared by micronisation. Other methods of producing such particles are also known in the art. Therefore, such particles can also be prepared using controlled precipitation methods (e.g. methods described in patent applications WO 00/38811 and WO 01/32125 (Glaxo Group Limited)), using supercritical fluid methodology or by spray drying techniques. The present invention provides no limitation on the method by which active agents are made suitable to be administered by inhalation.

The quantity of active agents in the composition produced in accordance with this invention will vary significantly depending, *inter alia*, upon the the age and weight of the patient and the severity of the condition. Such considerations are familiar to the person skilled in the art. Typically however, the active agents will be present in a concentration of 0.05 to 20%, more typically 0.1 - 15% of the total weight of the composition.

Salmeterol is preferably used in the form of its 1-hydroxy-2-naphthalene carboxylate (Xinafoate) salt.

The ratio of salmeterol to fluticasone propionate in the compositions according to this invention is preferably in the range 4 : 1 to 1 : 20, more preferably in the range 1 : 1 to 1 : 10.

In addition to salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate the compositions according to this invention may also include one or more additional therapeutically active agents. Suitable examples include compounds known in the art as anti-cholinergics or PDE-4 inhibitors.

The excipient may be composed of particles of any pharmacologically inert material or combination of materials which is / are suitable for inhalation.

Preferred excipients include mono-saccharides, such as mannitol, arabinose, xylitol and dextrose and monohydrates thereof, disaccharides, such as lactose, maltose and sucrose, and polysaccharides such as starches, dextrans or dextrins. More preferred excipients comprise particulate crystalline sugars such as glucose, fructose, mannitol, sucrose and lactose. Especially preferred excipients are anhydrous lactose and lactose monohydrate.

Generally, the particle size of the excipient particles will be much greater than that of the inhaled active agent and as a result, do not penetrate into the respiratory tract. Thus, excipient particles for inhalable compositions may typically have particle sizes greater than 20 $\mu$ m, more preferably in the range 20 - 150 $\mu$ m.

If desired, the inhalable compositions may also contain two or more excipient particle size ranges. For example, in order to control the proportion of inhaled medicament, while retaining a good accuracy for metering, it is often desirable to use one component of the excipient that has a particle size of less than 15 $\mu$ m (the fine excipient component) and another component of the excipient that has a particle size of greater than 20 $\mu$ m but lower than 150 $\mu$ m, preferably lower than 80 $\mu$ m (the coarse excipient component).

The excipient or excipients may be commercially available in the desired particle size range or may be separated by air classification, sieving or any other method of size classification known in the art.

Preferably the weight ratio of the fine and coarser excipients components will range from 1 : 99 to 50 : 50.

Fine and coarse excipient components may consist of chemically identical or chemically different substances. The excipient mixtures may, for example, contain one chemical substance as the fine excipient and a different substance as the coarser excipient. However, the fine and coarser excipients in question may themselves constitute mixtures of different substances. Preferably the fine and coarser excipients will both be lactose.

The proportion of excipient material to be used in the inhalable compositions of this invention may vary depending upon the proportion of each active agent, the powder inhaler for administration etc. The proportion may, for example, be about 75% to 99.5% by weight of the composition as a whole.

5

It will be appreciated that such inhalable compositions may also contain minor amounts of other additives e.g. taste masking agents or sweeteners. The inhalable compositions of this invention may also include further additives which improve stability performance, e.g. magnesium stearate. Where such additives  
10 are present, they will generally not exceed 10% by weight of the total weight of the composition.

The dry powder pharmaceutical compositions in accordance with this invention can be prepared using standard methods. The pharmaceutically active agents, excipient and derivatised carbohydrate can be intimately mixed using any  
15 suitable blending apparatus, such as high shear blenders. The particular components of the formulation can be admixed in any order. Pre-mixing of particular components may be found to be advantageous in certain circumstances. The progress of the blending process can be monitored by  
20 carrying out content uniformity determinations. For example, the blending apparatus may be stopped, materials removed using a sample thief and then analysed for homogeneity by High Performance Liquid Chromatography (HPLC).

To determine the improved stability associated with compositions prepared according to this invention, the blends thus formed can be placed on accelerated  
25 stability screen (e.g. 40°C / 75% relative humidity) and the fine particle fraction reduction (i.e. comparison of pre and post stability FPF data) measured as an analytical parameter using a Cascade Impactor (CI) or Twin Stage Impinger (TSI). Such procedures are familiar to those skilled in the art.

30

According to the invention, the inhalable compositions can be delivered by any suitable inhalation device that is adapted to administer a controlled amount of such a pharmaceutical composition to a patient. Suitable inhalation devices may  
35 rely upon the aerosolisation energy of the patient's own breath to expel and disperse the dry powder dose. Alternatively, this energy may be provided by an

energy source independent of the patient's inhalation effort, such as by impellers, patient/device created pressurised gas sources or physically (e.g. compressed gas) or chemically stored energy sources. Suitable inhalation devices can also be of the reservoir type i.e. where the dose is withdrawn from a storage vessel  
5 using a suitably designed dosing device or alternatively, inhalation devices that release drug from pre-metered units e.g. blisters, cartridges or capsules.

Packaging of the composition may be suitable for unit dose or multi-dose delivery. In the case of multi-dose delivery, the composition can be pre-metered  
10 (e.g. Diskhaler® as described in US4811731 and US5035237) or metered in use (e.g. Turbuhaler® as described in US4668218). An example of a unit-dose device is Rotahaler® (as described in US4353365).

A particularly preferred inhalation device for dry powder pharmaceutical  
15 compositions of this invention is the Diskus® inhaler (described in US patents 5590645 and 5860149) which may be charged with blister (medicament) packs as described in US 5873360. The drawings of said United States patents are specifically incorporated by reference.

20 The present invention therefore also provides for a medicament pack for use in an inhalation device which comprises an elongate strip formed from a base sheet having a plurality of recesses spaced along its length and a lid sheet hermetically but peelably sealed thereto to define a plurality of containers, each container having therein an inhalable composition according to the present invention.

25 Preferably, the strip is sufficiently flexible to be wound into a roll. The lid sheet and base sheet will preferably have leading end portions which are not sealed to one another and at least one of the said leading end portions is constructed to be attached to a winding means. Also, preferably the hermetic seal between the  
30 base and lid sheets extends over their whole width. The lid sheet may preferably be peeled from the base sheet in a longitudinal direction from a first end of the said base sheet.



As a yet further aspect of the present invention we also provide an inhalation device for use with a medicament pack which comprises an inhalable composition according to the present invention, said device comprising:

- 5 (i) an opening station for receiving a container of a medicament pack being used with said inhalation device;
- (ii) means positioned to engage peelable sheets of a container which has been received in said opening station for peeling apart the peelable sheets, to open such a container;
- 10 (iii) an outlet, positioned to be in communication with an opened container, through which a user can inhale medicament in powder form from such an opened container; and
- (iv) indexing means for indexing in communication with said outlet containers of a medicament pack in use with said inhalation device.

- 15 As an alternative aspect of the present invention we also provide a medicament pack comprising a circular carrier disc which has a plurality of pre-filled, hermetically sealed containers formed integrally therewith and arranged in a circle, each container containing an inhalable composition according to the present invention, each container being puncturable to form a hole on each side
- 20 thereof to allow in use, air to flow through the container to entrain the powder contained therein.

As a further aspect of the present invention there is also provided an inhalation device by which compositions of the present invention may be administered to a

25 patient which comprises a housing, a tray mounted and capable of moving within said housing (via a plunger) adapted to receive a circular carrier disc medicament pack, an air inlet (through which air can enter said device) and an air outlet (through which a patient may inhale and receive said composition).

- 30 As an alternative aspect of the present invention we also provide a medicament pack comprising a piercable capsule which contains an inhalable composition according to the present invention.

As a further aspect of the present invention there is also provided an inhalation

35 device by which compositions of the present invention may be administered to a

patient which comprises a body shell which has a nozzle at a forward end and which is open at the rear end, a sleeve fitted on the outside of the body shell and rotatable with respect to it, a means for retaining a piercable capsule extending through the rear wall of the sleeve into the body shell, means for piercing said capsule when sleeve is rotated and a guard to ensure that the inhalable composition and not the pierced capsule, passes through the nozzle.

As a further aspect of the present invention there is also provided an inhalation device by which inhalable compositions of the present invention may be administered to a patient which comprises a nozzle, an air conduit connected to said nozzle for allowing a passage of air to be inhaled, a dosing unit comprising a storage chamber for the inhalable composition (which may also comprise a dosage indicating means) and a displaceable element for dispensing said formulation from the storage chamber into the air conduit, a manoeuvring unit for displacing said element in relation to the storage chamber and optional deflector devices to provide accelerated airflow.

In a further or alternative aspect the present invention also provides for a method of treatment or prophylaxis of respiratory disorders which comprises administering to a patient in need thereof of a dry powder pharmaceutical composition according to the present invention.

According to another aspect the present invention provides for the use of a dry powder pharmaceutical composition according to the present invention in the manufacture of a medicament for the treatment of respiratory disorders.

Suitable examples of respiratory disorders include, but are not limited to, asthma, bronchitis, chronic obstructive pulmonary disease (COPD), emphysema and rhinitis.

Preferably the respiratory disorder is asthma.

Where used herein, unless otherwise stated, the terms "dry powder pharmaceutical composition for inhalation therapy" and "inhalable composition" are to be treated as synonymous.

All publications, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference as if each individual publication were specifically and individually indicated to be incorporated by reference herein as though fully set forth.

Throughout the specification and claims which follow, unless the context requires otherwise, the word "comprise", and variations thereof such as "comprises" and 'comprising', will be understood to imply the inclusion of a stated integer or step or group of integers but not to the exclusion of any other integer or step or groups of integers.

The invention will now be described in detail by way of reference only to the following non-limiting examples.

15

#### Example 1

#### Dry Powder Compositions comprising derivatised carbohydrates and a 50µg : 50µg combination of Salmeterol Xinafoate and Fluticasone Propionate

20

All derivatised carbohydrates (Aldrich, Dorset, UK) were micronised (GEM -T, Glen Creston) under nitrogen with an inlet pressure of 3.5 bar and a grinding pressure of 2.0 bar.

25 The blends A - E, as tabulated below, were prepared by the following procedure. All material utilised in these blends was sieved using a 500µm aperture screen to remove large agglomerates.

30 Blend A, the control, is formed by mixing of lactose and actives in a 2.5L QMM (high shear) bowl for approximately 10 minutes (blend uniformity less than 4% RSD for either active material (ten samples each approx. 25mg)).

35 For blends B - E, approximately half of the derivatised carbohydrates were pre-mixed with the actives and the other half pre-mixed with the lactose, both in high shear blenders. The two pre-mixes were then combined and mixing continued in

a QMM blender for approximately 10 minutes. The blend uniformity data were found to be in the range 1 - 3% RSD for both active materials.

Blend	Contents of blend	Amount (g)	Amount (%)
A	• Salmeterol Xinafoate D(0.5) 1.6 $\mu$ m*	2.91	0.58
	• Fluticasone Propionate D(0.5) 2.0 $\mu$ m*	2.00	0.40
	• Lactose monohydrate 11.8% fines, D (0.5) 60 $\mu$ m*	495.09	99.02
B	• Salmeterol Xinafoate D(0.5) 1.6 $\mu$ m*	2.91	0.58
	• Fluticasone Propionate D(0.5) 2.0 $\mu$ m*	2.00	0.40
	• $\alpha$ -D-Sucrose Octaacetate D(0.5) 10 $\mu$ m**	35.00	7.00
	• Lactose monohydrate 6.5% fines, D (0.5) 84 $\mu$ m*	460.09	91.94
C	• Salmeterol Xinafoate D(0.5) 1.6 $\mu$ m*	2.91	0.58
	• Fluticasone Propionate D(0.5) 2.0 $\mu$ m*	2.00	0.40
	• $\alpha$ -D-Cellobiose Octaacetate D(0.5) 1.7 $\mu$ m**	35.00	7.00
	• Lactose monohydrate 6.5% fines, D (0.5) 84 $\mu$ m*	460.09	91.94
D	• Salmeterol Xinafoate D(0.5) 1.6 $\mu$ m*	2.91	0.58
	• Fluticasone Propionate D(0.5) 2.0 $\mu$ m*	2.00	0.40
	• D-Glucose Pentaacetate D(0.5) 4.5 $\mu$ m**	35.00	7.00
	• Lactose monohydrate 6.5% fines, D(0.5) 84 $\mu$ m*	460.09	91.94

E	• Salmeterol Xinafoate D(0.5) 1.6µm	2.91	0.58
	• Fluticasone Propionate D(0.5) 2.0µm	2.00	0.40
	• α-D-Lactose Octaacetate D(0,5) 18µm**	35.00	7.00
	• Lactose monohydrate 6.5% fines, D(0.5) 84µm*	460.09	91.94

\* Laser diffraction using Malvern Mastersizer, sample dispersed in lecithin / Isooctane (Fines = material <15µm)

5 \*\* Laser diffraction using Sympatec, Vibri sample introduction at 1 bar pressure

10 The blends thus formed were then added to blister packs, of the type described in patent US 5873360, using filling methods according to procedures outlined in WO 00/71419 (Glaxo Group Limited). Each blister contained approximately 12mg of the blend.

15 The seal integrity of the blister pack was deliberately compromised by puncturing each blister. The blister pack was then loaded into a Diskus® device.

20 The loaded Diskus® devices containing blends A - E were placed on accelerated stability at 40°C / 75% relative humidity for period of 72 hours. Twin stage impinger analysis (in triplicate) was performed (at 60 l/min) by the method detailed in the British Pharmacopoeia (Method A) with the exception that a USP throat was substituted for the glass one and was sealed to the stage 1 jet tube using a rubber gasket. The devices were tested pre and post storage by discharging the contents of 14 blisters into the Twin Stage Impinger apparatus. The results obtained are tabulated below.

Blend	Pre-Storage ( $\mu\text{g}/\text{dose}$ )		Post-Storage ( $\mu\text{g}/\text{dose}$ )	
	Salmeterol base (stage2 / emitted dose)	Fluticasone Propionate (stage 2 / emitted dose)	Salmeterol Base (stage 2 / emitted dose)	Fluticasone Propionate (stage 2 / emitted dose)
A	9.69 / 42.1	11.7 / 40.9	5.42 / 39.2	6.60 / 39.6
B	2.96 / 35.4	3.91 / 35.2	2.30 / 33.3	2.83 / 32.8
C	6.07 / 41.8	4.79 / 42.3	6.10 / 39.8	5.26 / 40.1
D	8.12 / 38.1	9.02 / 36.9	6.74 / 37.5	7.66 / 36.4
E	5.53 / 44.0	6.73 / 40.	3.87 / 48.2	4.53 / 43.8

Blend	Mean Stage 2 Pre-Storage (%)		Mean Stage 2 Post-Storage (%)	
	Salmeterol base	Fluticasone Propionate	Salmeterol Base	Fluticasone Propionate
A	23.0	28.7	13.8	16.5
B	8.35	11.1	6.91	8.6
C	14.5	11.2	15.3	13.1
D	21.3	24.4	18.0	21.0
E	12.6	16.9	7.98	10.3

5 These data are represented graphically in Figures 1 and 2.

Figure 1 shows the effect of derivatised carbohydrates on the twin impinger performance of the Fluticasone propionate component of Salmeterol Xinafoate / Fluticasone Propionate 50 $\mu\text{g}$  / 50 $\mu\text{g}$  blends (+/- standard deviation).

10 Figure 2 shows the effect of derivatised carbohydrates on the twin impinger performance of the Salmeterol Xinafoate component of Salmeterol Xinafoate / Fluticasone Propionate 50 $\mu\text{g}$  / 50 $\mu\text{g}$  blends (+/- standard deviation).

15 Data shown in Example 1 demonstrate that dry powder pharmaceutical compositions comprising salmeterol xinafoate and fluticasone propionate as

- active agents and further incorporating derivatised carbohydrates (particularly cellobiose octaacetate), can significantly reduce the deterioration in fine particle fraction following exposure to high temperature and humidity. It is believed therefore, that such compositions, when incorporated in dry powder inhaler
- 5 products, would demonstrate considerably enhanced stability and hence an increased shelf-life.

## Claims

1. A dry powder pharmaceutical composition for inhalation therapy  
5 comprising salmeterol or a pharmaceutically acceptable salt thereof and  
fluticasone propionate, an excipient and a derivatised carbohydrate in particulate  
form.
2. A dry powder pharmaceutical composition according to claim 1 in which  
10 salmeterol is present as its 1-hydroxy-2-naphthoate (xinofoate) salt.
3. A dry powder pharmaceutical composition according to claim 1 or 2 in  
which the derivatised carbohydrate is a mono or di-saccharide in which at least  
one hydroxyl group of the carbohydrate group is substituted with a hydrophobic  
15 moiety via either ester or ethers linkages.
4. A dry powder pharmaceutical composition according to any one of claims  
1 - 3 in which the derivatised carbohydrate is a carbohydrate selected from  
fructose, glucose, mannitol, maltose, mannitol, trehalose, cellobiose, lactose and  
20 sucrose in which at least one hydroxyl group of said carbohydrate is substituted  
by a straight or branched hydrocarbon chain comprising up to 20 carbon atoms.
5. A dry powder pharmaceutical composition according to any one of claims  
1 - 4 in which the derivatised carbohydrate is selected from the group consisting  
25 of cellobiose octaacetate, sucrose octaacetate, glucose pentacetate, mannitol  
hexaacetate and trehalose octaacetate.
6. A dry powder pharmaceutical composition according to claim 1 in which  
the derivatised carbohydrate is  $\alpha$ -D cellobiose octaacetate.  
30
7. A dry powder pharmaceutical composition according to any one of claims  
1 - 5 in which the derivatised carbohydrate is present at a concentration of less  
than 10% of the total composition.



8. A dry powder pharmaceutical composition according to any one of claims 1 - 7 in which the derivatised carbohydrate has an aerodynamic size in the range 1 - 20  $\mu\text{m}$ .
- 5 9. A dry powder pharmaceutical composition according to any one of claims 1 - 8 in which one component of the excipient that has a particle size of less than 15 $\mu\text{m}$  (the fine excipient component) and another component of the excipient that has a particle size of greater than 20 $\mu\text{m}$  but lower than 150 $\mu\text{m}$  (the coarse excipient component).
- 10 10. A dry powder pharmaceutical composition according to claim 9 in which the fine and coarse excipient components are both lactose.
- 15 11. A dry powder pharmaceutical composition according to any one of claims 1 - 10 for use in therapy.
- 20 12. A method of treatment or prophylaxis of respiratory disorders which comprise administering to a patient in need thereof a dry powder pharmaceutical composition according to any one of claims 1 - 10.
- 25 13. Use of a dry powder pharmaceutical composition according to any one of claims 1 - 10 in the manufacture of a medicament for the treatment of respiratory disorders.
- 30 14. An inhalation device containing therein a dry powder pharmaceutical composition according to any one of claims 1 - 10.
15. An inhalation device according to claim 14 in which the dry powder pharmaceutical composition is released from a pre-metered unit medicament pack.
16. A medicament pack for use in an inhalation device which comprises an elongate strip formed from a base sheet having a plurality of recesses spaced along its length and a lid sheet hermetically but peelably sealed thereto to define

a plurality of containers, each container having therein an inhalable composition according to any one of claims 1 - 10.

17. A medicament pack according to claim 16 wherein the strip is sufficiently  
5 flexible to be wound into a roll.

18. A medicament pack according to claim 16 wherein the lid sheet and base sheet have leading end portions which are not sealed to one another.

10 19. A medicament pack according to claim 18 wherein at least one of the said leading end portions is constructed to be attached to a winding means.

20. A medicament pack according to claim 16 wherein the hermetic seal between the base and lid sheets extends over their whole width.

15

21. A medicament pack according to claim 16 wherein the lid sheet may be peeled from the base sheet in a longitudinal direction from a first end of the said base sheet.

20 22. An inhalation device for use with a medicament pack according to any one of claims 16 - 21 which comprises an inhalable composition according to any one of claims 1 - 10, said device comprising:

- (i) an opening station for receiving a container of a medicament pack being used with said inhalation device;
- 25 (ii) means positioned to engage peelable sheets of a container which has been received in said opening station for peeling apart the peelable sheets, to open such a container;
- (iii) an outlet, positioned to be in communication with an opened container, through which a user can inhale medicament in powder form
- 30 from such an opened container; and
- (iv) indexing means for indexing in communication with said outlet containers of a medicament pack in use with said inhalation device.

23. A medicament pack comprising a circular carrier disc which has a plurality  
35 of pre-filled, hermetically sealed containers formed integrally therewith and

arranged in a circle, each container containing an inhalable composition according to any one of claims 1 - 10, each container being puncturable to form a hole on each side thereof to allow in use, air to flow through the container to entrain the powder contained therein.

5

24. An inhalation device by which inhalable compositions according to any one of claims 1 - 10 may be administered to a patient which comprises a housing, a tray mounted and capable of moving within said housing (via a plunger) adapted to receive a circular carrier disc medicament pack according to claim 23, an air inlet (through which air can enter said device) and an air outlet (through which a patient may inhale and receive said composition.

10

25. A medicament pack comprising a piercable capsule which contains an inhalable composition according to any one of claims 1 - 10.

15

26. An inhalation device by which inhalable compositions according to any one of claims 1 - 10 may be administered to a patient which comprises a body shell which has a nozzle at a forward end and which is open at the rear end, a sleeve fitted on the outside of the body shell and rotatable with respect to it, a means for retaining a piercable capsule according to claim 25 extending through the rear wall of the sleeve into the body shell, means for piercing said capsule when sleeve is rotated and a guard to ensure that the composition and not the pierced capsule, passes through the nozzle.

20

27. An inhalation device by which inhalable compositions according to any one of claims 1 to 10 may be administered to a patient which comprises a nozzle, an air conduit connected to said nozzle for allowing a passage of air to be inhaled, a dosing unit comprising a storage chamber for the composition (which may also comprise a dosage indicating means) and a displaceable element for dispensing said composition from the storage chamber into the air conduit, a manoeuvring unit for displacing said element in relation to the storage chamber and optional deflector devices to provide accelerated airflow.

30

28. The use of particulate derivatised carbohydrates in dry powder pharmaceutical compositions comprising salmeterol or a pharmaceutically

35

acceptable salt thereof and fluticasone propionate in order to improve stability performance.

29. The use of particulate derivatised carbohydrates in dry powder  
5 pharmaceutical compositions comprising salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate in order to eliminate or reduce the detrimental effect on fine particle dose caused on storage of said compositions.
- 10 30. The use according to claim 28 or 29 in which the particulate derivatised carbohydrate is cellobiose octaacetate.




Figure 1




Figure 2

## INTERNATIONAL SEARCH REPORT

PCT/GB 03/01595

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A61K9/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

PAJ, CHEM ABS Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 02 15876 A (QUADRANT HEALTHCARE) 28 February 2002 (2002-02-28) claims	1-30
A	EP 0 416 951 A (GLAXO) 13 March 1991 (1991-03-13) cited in the application claims	1-30
A	WO 99 33853 A (QUADRANT HOLDINGSCAMBRIDGE) 8 July 1999 (1999-07-08) cited in the application claims	1-30
A,P	WO 02 43750 A (BATTELLE MEMORIAL INSTITUTE) 6 June 2002 (2002-06-06) claims	1-30

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*Z\* document member of the same patent family

Date of the actual completion of the international search

15 July 2003

Date of mailing of the international search report

23/07/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Scarponi, U

# INTERNATIONAL SEARCH REPORT

PCT/GB 03/01595

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
  
Although claim 12 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.



## INTERNATIONAL SEARCH REPORT

PCT/GB 03/01595

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0215876	A	28-02-2002	AU 7862201 A WO 0215876 A2	04-03-2002 28-02-2002
EP 416951	A	13-03-1991	AT 99941 T BE 1003053 A3 CA 2024916 A1 CH 680983 A5 CY 1817 A DE 69005951 D1 DE 69005951 T2 DK 416951 T3 EP 0416951 A1 ES 2062392 T3 FR 2651677 A1 GB 2235627 A , B HK 18695 A HU 9500150 A3 IE 903256 A1 IL 95590 A IT 1241996 B JP 3042867 B2 JP 3167120 A LU 90392 A9 LV 5735 A4 NZ 235221 A PH 27594 A SG 166294 G US 5270305 A ZA 9007136 A AU 640682 B2 AU 6226290 A	15-01-1994 05-11-1991 09-03-1991 31-12-1992 20-10-1995 24-02-1994 26-05-1994 14-02-1994 13-03-1991 16-12-1994 15-03-1991 13-03-1991 17-02-1995 28-08-1995 13-03-1991 18-06-1996 02-02-1994 22-05-2000 19-07-1991 28-06-1999 20-06-1996 25-11-1992 31-08-1993 16-06-1995 14-12-1993 26-06-1991 02-09-1993 26-04-1991
WO 9933853	A	08-07-1999	AT 235503 T AU 2062999 A CA 2316275 A1 DE 69812711 D1 EP 1042339 A2 WO 9933853 A2 JP 2001527087 T US 2002058067 A1 US 6352722 B1 ZA 9811843 A	15-04-2003 19-07-1999 08-07-1999 30-04-2003 11-10-2000 08-07-1999 25-12-2001 16-05-2002 05-03-2002 24-06-1999
WO 0243750	A	06-06-2002	AU 3664102 A AU 4163902 A WO 0243695 A2 WO 0243750 A2 US 2002102218 A1 US 2002110524 A1	11-06-2002 11-06-2002 06-06-2002 06-06-2002 01-08-2002 15-08-2002